






## Specifications:


| Model No.<br>(X=1: →Clockwise)<br>(X=2: ←Anticlockwise) | Freq. Range<br>MHz | IL.<br>dB (max) | Isolation<br>dB (min) | VSWR | Forward<br>Power<br>CW | Reverse<br>power<br>W |
|---------------------------------------------------------|--------------------|-----------------|-----------------------|------|------------------------|-----------------------|
| WG2532X-X-20/350-370MHz                                 | 350-370            | 0.50            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/400-410MHz                                 | 400-410            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/400-470MHz                                 | 400-470            | 0.50            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/400-500MHz                                 | 400-500            | 0.60            | 16.0                  | 1.40 | 200                    | 20dB100W              |
| WG2532X-X-20/410-425MHz                                 | 410-425            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/430-470MHz                                 | 430-470            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/490-510MHz                                 | 490-510            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/600-700MHz                                 | 600-700            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/690-810MHz                                 | 690-810            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/700-750MHz                                 | 700-750            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/700-803MHz                                 | 700-803            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/750-800MHz                                 | 750-800            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/800-850MHz                                 | 800-850            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/800-1000MHz                                | 800-1000           | 0.50            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/850-855MHz                                 | 850-855            | 0.25            | 25.0                  | 1.15 | 200                    | 20dB100W              |
| WG2532X-X-20/850-900MHz                                 | 850-900            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/850-960MHz                                 | 850-960            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/860-960MHz                                 | 860-960            | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/900-920MHz                                 | 900-920            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/925-960MHz                                 | 925-960            | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/955-1220MHz                                | 955-1220           | 0.45            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/960-1230MHz                                | 960-1230           | 0.45            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/962-1213MHz                                | 962-1213           | 0.45            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/1000-1100MHz                               | 1000-1100          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/1000-1200MHz                               | 1000-1200          | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/1020-1040MHz                               | 1020-1040          | 0.20            | 25.0                  | 1.15 | 200                    | 20dB100W              |



| <b>Model No.</b><br>(X=1: →Clockwise)<br>(X=2: ←Anticlockwise) | <b>Freq. Range</b><br><b>MHz</b> | <b>IL</b><br><b>dB (max)</b> | <b>Isolation</b><br><b>dB (min)</b> | <b>VSWR</b> | <b>Forward</b><br><b>Power</b><br><b>CW</b> | <b>Reverse</b><br><b>power</b><br><b>W</b> |
|----------------------------------------------------------------|----------------------------------|------------------------------|-------------------------------------|-------------|---------------------------------------------|--------------------------------------------|
| WG2532X-X-20/1020-1100MHz                                      | 1020-1100                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1022-1038MHz                                      | 1022-1038                        | 0.20                         | 25.0                                | 1.15        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1030-1039MHz                                      | 1030-1039                        | 0.20                         | 25.0                                | 1.15        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1030-1090MHz                                      | 1030-1090                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1070-1210MHz                                      | 1070-1210                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1080-1100MHz                                      | 1080-1100                        | 0.20                         | 25.0                                | 1.15        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1100-1300MHz                                      | 1100-1300                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1150-1250MHz                                      | 1150-1250                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1187-1312MHz                                      | 1187-1312                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1200-1300MHz                                      | 1200-1300                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1200-1400MHz                                      | 1200-1400                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1250-1450MHz                                      | 1250-1450                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1301-1438MHz                                      | 1301-1438                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1300-1700MHz                                      | 1300-1700                        | 0.40                         | 19.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1325-1375MHz                                      | 1325-1375                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1400-1600MHz                                      | 1400-1600                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1450-1550MHz                                      | 1450-1550                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1500-1700MHz                                      | 1500-1700                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1500-1800MHz                                      | 1500-1800                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1524-1540MHz                                      | 1524-1540                        | 0.20                         | 25.0                                | 1.15        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1550-1630MHz                                      | 1550-1630                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1550-1650MHz                                      | 1550-1650                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1626-1660MHz                                      | 1626-1660                        | 0.20                         | 25.0                                | 1.15        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1700-1900MHz                                      | 1700-1900                        | 0.40                         | 20.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1700-2000MHz                                      | 1700-2000                        | 0.40                         | 19.0                                | 1.25        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1710-1785MHz                                      | 1710-1785                        | 0.30                         | 23.0                                | 1.20        | 200                                         | 20dB100W                                   |
| WG2532X-X-20/1710-2170MHz                                      | 1710-2170                        | 0.50                         | 18.0                                | 1.30        | 200                                         | 20dB100W                                   |



| Model No.<br>(X=1: →Clockwise)<br>(X=2: ←Anticlockwise) | Freq. Range<br>MHz | IL.<br>dB (max) | Isolation<br>dB (min) | VSWR | Forward<br>Power<br>CW | Reverse<br>power<br>W |
|---------------------------------------------------------|--------------------|-----------------|-----------------------|------|------------------------|-----------------------|
| WG2532X-X-20/1800-2000MHz                               | 1800-2000          | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/1800-2200MHz                               | 1800-2200          | 0.50            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/1800-2400MHz                               | 1800-2400          | 0.60            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/1805-1880MHz                               | 1805-1880          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/1805-2117MHz                               | 1805-2117          | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/1900-2200MHz                               | 1900-2200          | 0.35            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/1920-1990MHz                               | 1920-1990          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2000-2200MHz                               | 2000-2200          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2000-2400MHz                               | 2000-2400          | 0.50            | 18.0                  | 1.30 | 200                    | 20dB100W              |
| WG2532X-X-20/2000-2500MHz                               | 2000-2500          | 0.50            | 18.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2000-2700MHz                               | 2000-2700          | 0.70            | 17.0                  | 1.35 | 200                    | 20dB100W              |
| WG2532X-X-20/2100-2170MHz                               | 2100-2170          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2100-2700MHz                               | 2100-2700          | 0.50            | 18.0                  | 1.35 | 200                    | 20dB100W              |
| WG2532X-X-20/2110-2170MHz                               | 2110-2170          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2135-2365MHz                               | 2135-2365          | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/2200-2300MHz                               | 2200-2300          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2200-2400MHz                               | 2200-2400          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2200-2500MHz                               | 2200-2500          | 0.40            | 20.0                  | 1.25 | 200                    | 20dB100W              |
| WG2532X-X-20/2300-2400MHz                               | 2300-2400          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2300-2500MHz                               | 2300-2500          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2300-2700MHz                               | 2300-2700          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2400-2500MHz                               | 2400-2500          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2400-2600MHz                               | 2400-2600          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2496-2690MHz                               | 2496-2690          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2500-2700MHz                               | 2500-2700          | 0.40            | 20.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2600-2690MHz                               | 2600-2690          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |
| WG2532X-X-20/2600-2700MHz                               | 2600-2700          | 0.30            | 23.0                  | 1.20 | 200                    | 20dB100W              |



| Model No.<br>(X=1: →Clockwise)<br>(X=2: ←Anticlockwise) | Freq. Range<br>MHz | IL.<br>dB (max) | Isolation<br>dB (min) | VSWR | Forward<br>Power<br>CW | Reverse<br>power<br>W |
|---------------------------------------------------------|--------------------|-----------------|-----------------------|------|------------------------|-----------------------|
| WG2532X-X-20/2700-2900MHz                               | 2700-2900          | 0.30            | 20.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/2700-3100MHz                               | 2700-3100          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/2700-3500MHz                               | 2700-3500          | 0.50            | 18.0                  | 1.30 | 100                    | 20dB100W              |
| WG2532X-X-20/2750-3150MHz                               | 2750-3150          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/2900-3300MHz                               | 2900-3300          | 0.40            | 20.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/2900-3500MHz                               | 2900-3500          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3000-3600MHz                               | 3000-3600          | 0.30            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3100-3500MHz                               | 3100-3500          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3150-3250MHz                               | 3150-3250          | 0.30            | 23.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/3300-3600MHz                               | 3300-3600          | 0.30            | 20.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/3300-3800MHz                               | 3300-3800          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3400-3900MHz                               | 3400-3900          | 0.40            | 20.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3400-4200MHz                               | 3400-4200          | 0.45            | 19.0                  | 1.25 | 100                    | 20dB100W              |
| WG2532X-X-20/3400-4300MHz                               | 3400-4300          | 0.50            | 18.0                  | 1.30 | 100                    | 20dB100W              |
| WG2532X-X-20/3550-3700MHz                               | 3550-3700          | 0.30            | 23.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/3600-3800MHz                               | 3600-3800          | 0.30            | 23.0                  | 1.20 | 100                    | 20dB100W              |
| WG2532X-X-20/3900-4000MHz                               | 3900-4000          | 0.30            | 23.0                  | 1.20 | 100                    | 20dB100W              |

**If the frequency range you need is not covered in the form.  
Please contact us for details.**